DANCOVER®

PARTY TENT SEMI PRO, CombiTent 7x14m - Side height 2,3m

DANCOVER®

Safety Advice

Attention

In some countries approval is needed to set up a marquee/tent larger than 75 m2. It is your responsibility to comply with local rules and regulations and to ensure that the marquee/tent is assembled correctly.

In case of bad weather conditions, it is your responsibility to ensure the marquee/tent is safely secured and that the marquee/tent does not cause damage to others.

Do not use open fire, welding equipment or other sources which can ignite, inside or close to the tent.

The marquee/tent must be safely secured. We recommend you secure your marquee/tent with straps and pegs as soon as it is assembled.

Make sure to check if the marquee/tent is covered by your home contents insurance.

Marquees/tents must be evacuated under extreme weather conditions.

In the event of snow always remove snow from the roof of the marquee/tent regularly to prevent snow from building on the roof as heavy snow can cause the marquee/tent to collapse.

In the event of rain there is a risk of rain puddles building up on top of the roof of the marquee/tent. Heavy rain puddles can cause the roof to collapse. It is your responsibility to ensure rain puddles do not build up. As a precaution, make sure the roof of the marquee/tent is stretched out properly and adequately over the side frames of the marquee/tent and remove rain water regularly.

Do not unpack or repack your marquee/tent in freezing temperatures. In case of temperatures below zero always unpack and repack your marquee/tent indoors to avoid the risk of cracking parts.

The marguee/tent must be totally dry before you repack and store it to avoid mildew.

Note: Marquees are intended for events and other arrangements and are as such only meant for short term temporary assembly and the following disassembly. Dancover warranty applies only to the normal use of the Product, normal wear and tear excepted, in accordance with written use instructions or manual. The warranty does not apply to damage caused by accident, abuse, misuse, or modification of the Product.

Warranty Information

Please visit dancovershop.com for information on warranty.

Please always check our website for the latest safety advice and manual.

Warning

1

The pipes are covered in oil. Before you set up your tent please remove the oil carefully to keep the cover clean.

2

Take note that the tent needs to be handle with care to avoid damages.

3

Do not force the frame as they may be damage in the process.


4

Tents are meant as temporary shelters and must be evacuated under extreme weather conditions.

Please select a suitable site for the tent to avoid damage to underground sprinkler systems, water, gas or electrical lines.


2188mm			1880mm		1700mm		1750mm		640mm		2210mm		110°	
0.0 0)		<u></u>	0.0 0)		0.000		0 0		0 0		0.0 0)		olo l	
1.			2.	49PCS	3.	32PCS	4.	16PCS	5.	8PCS	6.	6PCS	7.	4PCS
140°			140°		140°		110°		110°					
8.	2PCS		9-1	4PCS	9-2	2PCS	10-1	4PCS	10-2	8PCS	11.	4PCS	12.	12PCS
13.	2PCS		14.	2PCS	15-1	4PCS	15-2	8PCS	16.	4PCS	S 17.		8PCS	
							20							
18.			8PCS		19.super	peg 10PCS	20.spiral peg	4pcs	21.middle peg	20 pcs	22.small peg	60 PCS		
S Me			16x25		M6		M8x50mm		M8x60mm		M8			
24.spencer	2PCS	25.	screw	32PCS	26.nuts	32pcs	27.50mm screv	w 118PCS	28.60mm screw	80pcs	29.locknuts	218pcs		
						C. C								
30. long bungeeball	300PCS				32.rope	4PCS	34.roof	1 pcs (5 sections)	35.sidewall	14PCS	36.endwall Large door	1PC	37.endwall Small door	1PC

7x14 -2,3 PARTY TENT SEMI PRO, CombiTent




Select a flat ground for the tent, unpack the carton and check that all the parts including tubes, tent and accessories... etc. are present same as on the part list.

Assemble the framework of rooftop by joining the parts (7, 8, 9-1,09-2, 10-1, 10-2, 11, 12) together with poles (2.3). To ensure the screw fixed to every pole tightly




ш

Attach one end of supported pole (4.5) to the joints (8-11), Strengthen the frame by using screws and turnbuckle set (18). Long screws are used on all connection between 50mm and 54mm pipe. Short screws are used on connection between 42mm and 38mm pipes.




Ш

Cover the roof on the frame and attach it with the bungee balls. Take care of the tension of the bungee balls, if you use too many on one side of the tent, it may be too tight to tie the other side. Leg 1 with holes, should be on both sides of the tent.



IV

Attach all supported poles (1) to the joints (7.10), built-up the framework use the super pegs to fix the poles into the ground. Tighten the frame with the turnbuckle set.



٧


Attach the sidewalls to the frame using the bungees.

Attach the endwall directly to the roof with velcro.

Connect the leg covers to the sidewalls and endwalls with velcro as shown.
Use the short ground pegs to fasten the endwalls to the ground.

The guy rope runs from every corner of the tent and is braced to the ground using the spiral pegs.

The super pegs provide the tent with additional tension and stability





Contact information

Head office:

Dancover A/S Nordre Strandvej 119 G 3150 Hellebæk Denmark For more information please visit: www.dancovershop.com

National contacts

Denmark: 70 26 76 20 denmark@dancover.com

UK: 020 8099 7570 uk@dancover.com

Germany: 041 0266 7040 germany@dancover.com

France: 0975 181 800 france@dancover.com

Sweden: 040 233 262 sverige@dancover.com

Finland: 0 931 581 720 suomi@dancover.com

Poland: 22 300 8602 polska@dancover.com

Luxembourg: +49 041 0266 7040 luxembourg@dancover.com

Portugal: 308 800 899 portugal@dancover.com

Spain: 911 436 828 espana@dancover.com

Italy: 02 479 21 198 italia@dancover.com

Switzerland: 0840 000125 schweiz@dancover.com

Austria: 0662 626935 austria@dancover.com

Norway: 231 00 690 norge@dancover.com

Nederland: 0 858 880 524 nederland@dancover.com

Ireland: 0 151 33 003 ireland@dancover.com

Belgium: 0 28 08 08 09 belgique@dancover.com